



2011 NISSAN TITAN®

HANDLE IT WITH THE TITAN OF TRUCKS. Nissan's full-size truck is powered by a standard 5.6-liter V8 churning out 317 hp and 385 lb-ft of torque, giving you the brute strength to pull up to 9,500 lbs.¹ of just about anything. But there's more to Titan than power. A lot more. Its available Utili-track™ Bed Channel System includes tie-down cleats you can position where you need them most. Its rugged, fully boxed all-steel frame delivers greater load-bearing ability and improved ride quality. Not to mention its Active Brake Limited Slip (ABLS) and available switch-on-demand electronic locking rear differential for more confident traction. Titan is available as a King Cab, with revolutionary Wide Open rear doors that open a full 168⁵, or Crew Cab, with the longest crew cab bed in its class.² See for yourself why size matters. Ask for a test-drive today.



MULTIPLE RUGGED NISSAN TITAN MODELS TO CHOOSE FROM.





SV KING CAB AND CREW CAB





| -EATURES S SV PRO-4X SL | | | | | | |
|-------------------------|--|----|------|----|----|--|
| EXTERIOR | Chrome billet grille and chrome step rails (Crew Cab only) | | нм | | нм | |
| | Step rails | | | | MU | |
| | Automatic on/off headlights | | | | | |
| - " | Class IV tow hitch receiver | PE | VT | | | |
| | Power heated extendable tow mirrors | | P1 | P2 | MU | |
| | Front tow hooks (standard on SV and SL 4x4 models) | | P1 | | MU | |
| | Body-color front bumper and grille (black grille on S) | | | | | |
| | Chrome bumpers and grille | | | | | |
| | Dual black power outside mirrors (manual on S; heated on PRO-4X) | | | | | |
| | Dual chrome power folding auto-dimming heated outside mirrors with | | | | | |
| | puddle lights and turn signals | | | | | |
| | Utili-track™ Bed Channel System with four tie-down cleats | | U P1 | P2 | | |
| | Factory-applied spray-on bedliner | | U P1 | P2 | | |
| | Lockable bedside storage | | U P1 | | | |
| | Tailgate illumination and bed-mounted 12-volt DC power outlet | | U P1 | P2 | | |
| | Locking dampened assist tailgate | | O PI | PZ | | |
| | | | | | | |
| | Body side moldings | | | | | |
| | Sliding rear window and privacy glass (King Cab only) | PE | | | | |
| | Vertical drop power back window (Crew Cab only) | | | | | |
| | Power sliding glass moonroof | | | Т | Т | |
| | Rear Sonar System¹ and fog lights | | VT | | | |
| | Nices DVD Februaries and Control St. Cl. and St. DVD also said | | | | | |
| E | Nissan DVD Entertainment System with 8" monitor, DVD player with | | | | Ь | |
| Ξ | remote control and two wireless headsets (Crew Cab only) | | | E | E | |
| ₹ | AM/FM/CD audio system | | | | | |
| 쏦 | AM/FM/in-dash 6-CD changer audio system | | | | | |
| ENTERTAINMENT | Rockford Fosgate-powered audio system with AM/FM/in-dash | | | | | |
| | 6-CD changer | | P1 | P2 | | |
| | Dual Media Playback (Crew Cab only) | | P1 | P2 | | |
| | MP3/WMA CD playback capability | | | | | |
| | Radio Data System (RDS) | | | | | |
| | Auxiliary audio input ² | | | | | |
| | Steering-wheel-mounted audio controls | | VT | | | |
| | Six speakers (King Cab only) | | | | | |
| | Eight speakers, including woofer and center speaker (King Cab only) | | P1 | P2 | | |
| | Eight speakers (Crew Cab only) | | | | | |
| | Ten speakers, including woofer and center speaker (Crew Cab only) | | P1 | P2 | | |
| | Satellite radio pre-wiring ³ | | | | | |
| | XM® Satellite Radio – includes activation and 3 months of service ³ | | P1 | P2 | | |
| | | | | | | |
| 8 | Nissan Navigation System with DVD atlas | | | Т | Т | |
| INTERIOR | Bluetooth® Hands-free Phone System | | VT | | | |
| | Air conditioning | | | | | |
| | Dual Zone Automatic Temperature Control (ATC) | | | | | |
| | Power door locks and power windows (N/A on S KC) | | | | | |
| | Remote keyless entry with remote windows down (N/A on S KC) | PE | | | | |
| | HomeLink Universal Transceiver | | PI | P2 | | |
| | Cruise control with steering-wheel-mounted controls | PE | | | | |
| | Tilt steering column | | | | | |
| | Variable intermittent speed-sensitive windshield wipers | | | | | |
| | Tanado intermitent opeca denditive windonicia wipero | | | | | |
| | | | | | | |





Part of Heavy Metal

Edition™/Texas Titan



Utility Package

Package

Part of SV Utility Package ☐ Part of PRO-4X Luxury

SL CREW CAB

| | | S | SV | PRO-4X | SL |
|----------------------|---|----|---------|----------|---------|
| Æ | Door courtesy lights (footwell lights on PRO-4X and SL) | | | | |
| NTERIOR (cont.) | Auto-dimming rearview mirror and compass | | VT | | |
| 9 | 12-volt DC power outlets | | | | |
| 曹 | Voltage, oil pressure and transmission temperature gauges | | | | |
| Z | Dual 2-way sun visors with extenders and illuminated mirrors | | | | |
| | Power adjustable pedals | | P1 | P2 | |
| | Under-seat grocery bag hooks (rear cab) | | | | |
| | Overhead center console | PE | | | |
| | Easy Clean™ vinyl flooring (King Cab only) | | | | |
| | 40/00/40 | | | | |
| NTS | 40/20/40-split front bench seat | | | | |
| M | Front captain's chairs with lockable center console | | VT | | |
| Ę | 8-way power adjustable driver's seat | | VT | | |
| PO | 4-way power adjustable passenger's seat Heated front seats | | | L | |
| SEATING/APPOINTMENTS | | | VT | L | |
| NG | Fold-flat front-passenger's seat (not available on bench seat) | | VT | | |
| ATI | 60/40-split flip-up/fold-down rear bench seat | | | L | |
| S | Memory System – driver's seat, outside mirrors, and pedals (two settings) Cloth seat trim | | | L | |
| | | | | L | |
| | Leather-appointed seats | | VT | L | |
| | Leather-wrapped steering wheel Leather-wrapped floor-mounted transmission shifter | | VT | | |
| | Metallic-tone interior accents | | VI | | |
| | Wood-tone accents | | | | |
| | vvoou-tone accents | | | | |
| ≥ | Nissan Advanced Air Bag System with dual-stage supplemental | | | | |
| R | front air bags with seat belt sensors and occupant-classification sensor | | | | |
| <u> </u> | Driver and front-passenger seat-mounted side-impact supplemental air bags | | | | |
| //S | Roof-mounted curtain supplemental air bags for side-impact and | | | | |
| | rollover head protection for front and rear outboard occupants | | | | |
| SAFETY/SECURITY | Vehicle Dynamic Control (VDC) ⁴ with Traction Control System (TCS) | | | | |
| 0, | Tire Pressure Monitoring System (TPMS) | | | | |
| | Front-seat Active Head Restraints | | | | |
| | 3-point ALR/ELR passenger seat belt system (ELR only for driver) | | | | |
| | Front seat belts with pretensioners and load limiters | | | | |
| | LATCH System (Lower Anchors and Tethers for CHildren) | | | | |
| | Zone Body construction with front and rear crumple zones | | | | |
| | Hood-buckling creases and energy-absorbing steering column | | | | |
| | Pipe-style steel side-door guard beams | | | | |
| | Vehicle Security System | | | | |
| | Nissan Vehicle Immobilizer System | | | | |
| Star | ndard Part of SL Max Utility Package | P: | Part of | PRO-4X F | Premium |

¹The optional Rear Sonar System is a convenience, but is not a substitute for proper backing procedures. Always turn and check that it is safe to do so before backing up. The Rear Sonar System may not detect every object behind you. ²Driving is serious business and requires your full attention. Do not operate any devices connected to the auxiliary audio input jack while driving. ³Required XM Radio monthly subscription sold separately. Subscription governed by XM Customer Agreement at xmradio.com/service terms. For more information, see www.xmradio.com. ⁴ VDC, which should remain on when driving except when freeing the vehicle from mud or snow, cannot prevent accidents due to abrupt steering, carelessness, or dangerous driving techniques. Always drive safely. The Bluetooth word mark and logos are owned by Bluetooth SIG, Inc., and any use of such marks by Nissan is under license.

Part of SV Premium Utility

Entertainment System Package

E Part of Nissan DVD

Package

PE Part of S Popular Equipment

VT Part of SV Value Truck Package

Package

SPECIFICATIONS

OFF-ROAD DIMENSIONS

| PRO-4X | KING CAB | CREW CAB | |
|---|----------|----------|--|
| | | | |
| | | | |
| Minimum ground clearance at rear axle | 10.7" | 10.7" | |
| Minimum ground clearance with skid plates | 11.3" | 11.4" | |
| Angle of approach with skid plates | 28.0° | 28.1° | |
| Angle of departure | 27.7° | 27.8° | |
| Break-over angle | 21.4° | 21.8° | |
| | | | |

| MAXIMUM ' | TOWING | CAPABILITIES | (LBS.) |
|-----------|--------|--------------|--------|
|-----------|--------|--------------|--------|

| KING CAB | S | SV | PRO-4X | SL |
|----------------------------|-------------|---------------|---------------|-----|
| 4x2 (with Utility Package) | 7,400 (N/A) | 7,400 (9,500) | N/A | N/A |
| 4x4 (with Utility Package) | 7,400 (N/A) | 7,400 (9,400) | 9,300 (9,300) | N/A |
| | | | | |

CREW CAB

| 4x2 Standard Bed (with Utility Package) | 7,400 (N/A) | 7,400 (9,400) | N/A | 7,100 (9,200) |
|---|-------------|---------------|---------------|---------------|
| 4x4 Standard Bed (with Utility Package) | 7,300 (N/A) | 7,300 (9,300) | 9,300 (9,300) | 7,000 (9,100) |
| 4x2 Long Bed (with Utility Package) | N/A | 7,100 (9,300) | N/A | N/A |
| 4x4 Long Bed (with Utility Package) | N/A | 7,000 (9,100) | N/A | N/A |

EXTERIOR DIMENSIONS (INCHES)

| | KING CAB | CREW CAB |
|------------------|--------------|-------------------|
| | STANDARD BED | STANDARD/LONG BED |
| Wheelbase | 139.8 | 139.8/159.5 |
| Overall length | 224.6 | 224.6/244.2 |
| Overall width | 79.5 | 79.5/79.5 |
| Overall height | Up to 76.1 | Up to 76.9/76.6 |
| Cargo bed length | 79.1 | 67.3/87.0 |
| Cargo bed width | 63.8 | 63.8 |
| Cargo bed depth | 19.9 | 19.9 |

INTERIOR DIMENSIONS (INCHES)

| | KING CAB | CREW CAB |
|----------------------------|-----------|------------|
| Head room (front/rear) | 41.0/38.9 | 41.01/40.4 |
| Leg room (front/rear) | 41.8/33.0 | 41.8/40.4 |
| Hip room (front/rear) | 61.3/60.3 | 61.3/60.5 |
| Shoulder room (front/rear) | 65.1/64.9 | 65.1/64.6 |

ODEW OAR

KINIO OAD

CAPACITIES

| | KING CAB | CREW CAB |
|-------------------------------------|--------------|-------------------|
| | STANDARD BED | STANDARD/LONG BED |
| Interior passenger volume (cu. ft.) | 112.8 | 125.6/125.6 |
| Fuel tank (gals.) | 28.0 | 28.0/28.0 |
| Maximum payload - 4x2 (lbs.) | 2,013 | 2,063/1,762 |
| Maximum payload - 4x4 (lbs.) | 1,870 | 1,914/1,582 |

N/A Not available. '39.7" with moonroof. *BFGoodrich is a registered trademark of Goodrich Corporation. *Goodyear and Wrangler are registered trademarks of The Goodyear Tire & Rubber Company. *Dana is a registered trademark of Dana Corporation. *Rancho is a registered trademark of Tenneco Automotive Operating Company, Inc. *Rugged Trail T/A is a registered trademark of Uniroyal Goodrich Licensing Services, Inc.



ENGINE

VK56DE - Endurance 5.6-liter DOHC 32-valve V8 engine 317 hp @ 5,200 rpm 385 lb-ft of torque @ 3,400 rpm

Alternator (130 amps) Battery (650 CCA)

Optional: Heavy-duty battery (710 CCA) - standard on PRO-4X and FFV models

DRIVETRAIN

5-speed automatic transmission with Tow/Haul Mode

Final gear ratio (2.94:1)

Optional: Lower final gear ratio (3.36:1) - standard on PRO-4X

Optional: Switch-operated 2-speed transfer case - standard on PRO-4X

2-wheel Active Brake Limited Slip (ABLS) – 4x2 models 4-wheel Active Brake Limited Slip (ABLS) – 4x4 models

Electronic locking rear differential (PRO-4X)

WHEELS AND TIRES

18" x 8.0" steel wheels (S)

Optional 18" x 8.0" aluminum-alloy wheels (Part of E)

18" x 8.0" chrome-clad alloy wheels (Part of

■

■

18" x 8.0" unique 6-spoke aluminum-alloy wheels (PRO-4X)

20" x 8.0" 6-spoke aluminum-alloy wheels (SL)

Optional: 20" x 8.0" chrome-alloy wheels (Part of IIII)

P265/70R18 tires (S)

P265/70R18 Goodyear® Wrangler® tires with raised OWL (SV)

P275/70R18 BFGoodrich® Rugged Trail T/A® tires with raised OWL (PRO-4X)

P275/60R20 Goodyear® Wrangler® tires (SL)

BRAKES

Front and rear vented disc brakes

Anti-lock Braking System (ABS)

Electronic Brake force Distribution (EBD)

Brake Assist

SUSPENSION AND STEERING

Front: Independent double-wishbone with stabilizer bar (Dana® axles on 4x4 models)

Rear: Multi-leaf with solid Dana® axle

Rancho® off-road performance shocks (PRO-4X)

Engine-speed-sensitive power-assisted rack-and-pinion steering

PACKAGES

S POPULAR EQUIPMENT PACKAGE

18" x 8.0" aluminum-allov wheels

Cruise control with steering-wheel-mounted controls

Overhead center console

Sliding rear window (King Cab only)

Rear privacy glass (standard on Crew Cab)

Remote keyless entry (Crew Cab only)

Class IV tow hitch receiver and 7-pin wiring harness

Trailer brake controller pre-wiring under instrument panel

SV VALUE TRUCK PACKAGE

Front captain's chairs with lockable center console 8-way power adjustable driver's seat

Rear air conditioning vents (Crew Cab only)

Fog lights

Bluetooth® Hands-free Phone System

Class IV tow hitch receiver and 7-pin wiring harness

Trailer brake controller pre-wiring under instrument panel Floor mats

Leather-wrapped steering wheel and floor-mounted transmission shifter

Steering-wheel-mounted audio controls Auto-dimming rearview mirror with digital compass Rear Sonar System¹

SV UTILITY PACKAGE

Utili-track™ Bed Channel System with four tie-down cleats Factory-applied spray-on bedliner

Lockable bedside storage

Bed-mounted 12-volt DC power outlet

Tailgate area illumination

SV PREMIUM UTILITY PACKAGE

Rockford Fosgate-powered audio system with AM/FM/in-dash 6-CD changer

8 speakers, including woofer and center speaker (King Cab only) 10 speakers, including woofer and center speaker (Crew Cab only) XM[®] Satellite Radio²

Power adjustable pedals

HomeLink Universal Transceiver

Utili-track Bed Channel System with four tie-down cleats

Factory-applied spray-on bedliner

Lockable bedside storage

Bed-mounted 12-volt DC power outlet and tailgate area illumination Front tow hooks (4x2)

Lower final gear ratio (3.36:1) and heavy-duty battery (710 CCA) Dual power heated extendable tow mirrors

PRO-4X PREMIUM UTILITY PACKAGE

Rockford Fosgate-powered audio system with AM/FM/in-dash 6-CD changer

8 speakers, including woofer and center speaker (King Cab only) 10 speakers, including woofer and center speaker (Crew Cab only) XM® Satellite Radio²

Power adjustable pedals

HomeLink Universal Transceiver

Extended overhead console with rear audio controls

(Crew Cab only)

Utili-track Bed Channel System with four tie-down cleats

Factory-applied spray-on bedliner

Bed-mounted 12-volt DC power outlet

Tailgate area illumination

Dual power heated extendable tow mirrors

□ PRO-4X LUXURY PACKAGE

4-way power adjustable passenger's seat Embroidered leather-appointed seats

Heated front seats

Memory System – driver's seat, pedals and outside mirrors

In-cabin microfilter (Crew Cab only)

M SL MAX UTILITY PACKAGE

Step rails

Front tow hooks (4x2)

Lower final gear ratio (3.36:1) and heavy-duty battery (710 CCA)

Dual power heated extendable tow mirrors

TT TECHNOLOGY PACKAGE (PRO-4X AND SL CREW CAB)

Power sliding glass moonroof

Nissan Navigation System with DVD atlas and 7.0" color LCD monitor

II NISSAN DVD ENTERTAINMENT SYSTEM PACKAGE (PRO-4X AND LE CREW CAB)

8" Flip-down monitor, DVD player with auxiliary inputs, remote control and two wireless headsets

I HEAVY METAL EDITION™/TEXAS TITAN (SV AND SL CREW CAB)

18" x 8.0" chrome-clad alloy wheels (SV), 20" x 8.0" chrome-alloy wheels (SL), chrome billet grille and chrome step rails

Chrome outside mirrors and door handles (SV only - standard on SL)

Package requirements and availability may vary. Please see your Nissan dealer for details.



A standard 317-horsepower 5.6-liter V8 churns out 385 lb-ft of torque to pull up to 9,500 lbs. of just about anything.3

Configure even the most > complex, cumbersome loads. The bed has more usable cargo space and loadcarrying versatility than the average half-ton, thanks to five C-channel rails running the length of the bed's floor



The 5-speed automatic transmission features gear ratios that can take full advantage of its massive low-end torque and optimize fuel economy in higher gears.



Every Nissan is backed by a 36-month/36,000-mile limited vehicle coverage and a 5-year/60,000-mile limited powertrain coverage. 2003-2010 Vehicles equipped with a Continuously Variable Transmission (CVT) also have a 10-year /120,000-mile CVT limited warranty extension. (For complete information, see your Nissan dealer and read the actual limited warranty.) For extra protection, you can also add Security+Plus®, the only extended service agreement approved by Nissan.

For more warranty information or questions on 2003-2010 vehicles equipped with a Continuously Variable Transmission, please visit www.NissanAssist.com









¹The optional Rear Sonar System is a convenience, but is not a substitute for proper backing procedures. Always turn and check that it is safe to do so before backing up. The Rear Sonar System may not detect every object behind you. ² Required XM Radio monthly subscription sold separately. Subscription governed by XM Customer Agreement at xmradio.com/ service terms. For more information, see www.xmradio.com. ³ King Cab with Max Utility Package. See Nissan Towing Guide and Owner's Manual for proper use. Cargo and load capacity limited by weight and distribution. Properly secure cargo in bed of truck. [®] The Bluetooth word mark and logos are owned by Bluetooth SIG, Inc., and any use of such marks by Nissan

All illustrations, photographs and specifications in this publication are based on the latest product information available at the time of printing. Some vehicles shown with optional equipment. See the actual vehicle for complete accuracy. Availability and delivery times for particular models or equipment may vary. Nissan North America, Inc. reserves the right to make changes at any time, without prior notice, in prices, colors, materials, equipment, specifications and models, and to discontinue models or equipment. Specifications, options, and accessories may differ in Hawaii, U.S. territories, and other countries. For additional information on availability, options, or accessories, see your Nissan dealer. The Nissan names, logos, product names, feature names, and slogans are trademarks owned by or licensed to Nissan Motor Co. Ltd. and/or its North American subsidiaries. Tread Lightly!® Please. Always wear your seat belt, and please don't drink and drive. © 2010 Nissan North America, Inc.